

Faster speeds for serious users.

Kingston's HyperX® SSD combines the latest SandForce® controller technology with premium NAND Flash, reducing load times while increasing performance and endurance. It provides high-speed SATA Rev 3.0 (6Gb/s) transfer speeds for the larger bandwidth required by power users for advanced gaming, multitasking and multimedia computing power.

Kingston's HyperX SSD lets users load games and applications faster, increase frames per second (FPS) and quickly transfer and edit large media files. It's cool, silent and requires less power with no additional cooling requirements.

When configuring the HyperX SSD partition, users can choose between having the maximum available capacity for data storage, or give up a little space to increase performance and endurance. This additional space is called over-provisioning1 on an SSD. The amount of performance and endurance increase depends upon the type of data being stored on the HyperX SSD. The more data available in MPEG, JPG, ZIP and ARC file types, the greater the benefit from this increased over-provisioning.

HyperX SSD uses an advanced wear-levelling technology that distributes writes evenly across all the Flash blocks in the SSD to maximise overall drive endurance. Additionally, this ensures that the individual Flash memory blocks are consumed at a very balanced rate, not to exceed a 2% difference between the most often written blocks and least written. This enables the HyperX SSD to provide the longest possible life for the user while maintaining optimal performance.

HyperX SSD is covered by a three-year warranty and legendary Kingston® reliability.

- > SandForce Driven
- > SATA Rev. 3 (6Gb/s)



Also available as a HyperX Upgrade Kit:

- Acronis migration software
- HyperX 3.5" desktop mounting plate
- HyperX USB external drive bay
- HyperX multi-head screwdriver
- HyperX coloured SATA Rev 3.0 (6Gb/s) cable

Applications

- Decreased load times of high-resolution PC games
- Increased frame rates per second for a better gaming experience
- HD video rendering, encoding and editing
- Adobe applications (Photoshop, Premiere, Lightroom)
- Pro tools and other professional digital audio applications
- Faster transfers of large media files
- Multitasking
- AutoCAD
- Movie downloads, transfers and syncs

Features/specs on reverse $\rangle\rangle$



HyperX SSD

FEATURES/SPECIFICATIONS

- > Form factor 2.5"
- > Controller SandForce® SF-2281
- > Components Intel® 25nm Compute Quality MLC NAND (5k P/E cycles)
- > Interface SATA Rev 3.0 (6Gb/s), SATA Rev 2.0 (3Gb/s)
- > Capacities 2 120GB, 240GB, 480GB
- > Sequential reads 6Gb/s3 120GB / 240GB 555MB/s 480GB - 540MB/s
- > Sequential writes 6Gb/s3 120GB / 240GB 510MB/s 480GB - 450MB/s
- > Sustained random 4K R/W4

120GB - 20,000/60,000 IOPS 240GB - 40,000/57,000 IOPS 480GB - 60,000/45,000 IOPS

> Max. random 4K R/W4

120GB - 87,000/70,000 IOPS 240GB - 87,000/58,000 IOPS 480GB - 75,000/47,000 IOPS

- > PCMARK® Vantage HDD Suite score 120GB / 240GB / 480GB: 58,000
- > Supports SMART, TRIM and Garbage Collection
- > Power consumption

120GB: 0.455 W (TYP) idle / 1.6 W (TYP) read / 2.0 W (TYP) write 240GB: 0.455 W (TYP) idle / 1.5 W (TYP) read / 2.05 W (TYP) write 480GB: 0.455 W (TYP) idle / 1.5 W (TYP) read / 1.65 W (TYP) write

- > **Dimensions** 69.85mm x 100mm x 9.5mm
- > Weight 97g
- > Operating temperatures 0°C ~ 70°C
- > Storage temperatures -40°C ~ 85 °C
- > Shock resistance 1500G
- > Vibration operating 2.17G
- > Vibration non-operating 20G
- > MTBF 1,000,000 hrs
- > Warranty/support three-year warranty with free technical support

Test system: Asus P8P67 motherboard, Intel Core i7 2600k 3.4GHz CPU, 4GB system memory, NVIDIA GTX 460 video card








- This SSD is designed for use in desktop and notebook computer workloads, and is not intended for server
- environments.

 I Note: The over-provisioning can only be modified at the user's own risk and will require third party software to partition the drive. Kingston recommends that only experienced and knowledgeable u attempt to customise the over-provisioning area. Kingston will not provide support or any addition tools to execute this feature.
- 2 Please note: Some of the listed capacity on a Flash storage device is used for formatting and other functions and is thus not available for data storage. As such, the actual available capacity for data storage is less than what is listed on the products. For more information, go to Kingston's Flash memory Guide at kingston.com/flash_memory_guide.
- 3 Based on "out-of-box performance" with ATTO Disk Benchmark 2.41. Speed may vary due to host hardware, software and usage.
- 4 Based on "out-of-box performance" with IOMeter08
- 5 Operating system software support: Windows® 7, Windows Vista® (SP2), Windows XP (SP3) THIS DOCUMENT SUBJECT TO CHANGE WITHOUT NOTICE.

CO2012 Kingston Technology Europe Ltd and Kingston Digital Europe Ltd, Kingston Court, Brooklands Close, Sunbury-on-Thames, Middlesex, TW16 7EP, England. Tel: +44 (0) 1932 738888 Fax: +44 (0) 1932 785469. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. MKD-179.4EN



SH100S3/120G (stand-alone drive) SH100S3/240G (stand-alone drive) SH100S3/480G (stand-alone drive)

PACKAGE CONTENTS

- 2.5" USB enclosure
- SATA data cable
- Hard drive cloning software5
- Multi-bit screwdriver



