

A1000 SSD

kingston.com/ssd

Boost the speed and responsiveness of your Mini PC.

Kingston's A1000 solid-state drive is an entry-level PCIe NVMe™ SSD with a single-sided M.2 22x80mm design. This M.2 SSD is ideal for home theater PC (HTPC), mini PC and small form factor PC (SFF PC) systems with limited space and need a speed upgrade. Using a 4-channel Phison E8 controller and 3D NAND Flash, this drive offers read and write speeds up to 1,500MB/s and 1,000MB/s¹. It is 2X faster than a SATA-based SSD and 20X faster than a traditional hard drive offering quick responsiveness, ultra-low latency, and throughput.

More reliable and durable than a hard drive, A1000 will be a solid upgrade for your PC build. With quick boot times and fast performance, your system will run more efficiently while also saving time. There are no moving parts, making it far less likely to fail than a mechanical hard drive. It is also cooler and quieter, which makes it ideal for mini PC and home theater PCs.

A1000 is available in multiple capacities from 240GB–960GB² to give you all the space you need for applications, movies, photos, and other important documents. You can also replace your hard drive or a smaller SSD with a drive with enough storage capacity for all your files.



- › 3D TLC NAND
- › 20X faster than a 7200RPM hard drive¹
- › Ideal for home theater PC, mini PC, and PC builds
- › Multiple capacities up to 960GB²

Features/specs on reverse >>



A1000 SSD

FEATURES/ BENEFITS

- > **3D TLC NAND** — Increased density is the key to supporting broader workloads, ultra-responsive multi-tasking and an overall faster system.
- > **20X faster than a hard drive¹** — With incredible read/write speeds the A1000 will increase the speed and performance of your system.
- > **Ideal for home theater PC and mini PC** — The single-sided M.2 2280 SSD makes it ideal for home theater PCs and mini PCs with limited space. Integrates easily into designs with M.2 connectors.
- > **Multiple capacities** — Available in a range of capacities up to 960GB² to meet your data storage requirements.

SPECIFICATIONS

- > **Form Factor:** M.2 2280
- > **Interface:** PCIe NVMe™ Gen 3.0 x 2 Lanes
- > **Capacities²:** 240GB, 480GB, 960GB
- > **Controller:** Phison E8
- > **NAND:** 3D TLC
- > **Sequential Read/Write¹:**
 - 240GB — up to 1,500/800MB/s
 - 480GB — up to 1,500/900MB/s
 - 960GB — up to 1,500/1,000MB/s
- > **Random 4K Read/Write:**
 - 240GB — up to 100,000/80,000 IOPS
 - 480GB — up to 100,000/90,000 IOPS
 - 960GB — up to 120,000/100,000 IOPS
- > **Power Consumption:** 0.011748W Idle / 0.075623W Avg / 0.458W (MAX) Read / 0.908W (MAX) Write
- > **Dimensions:** 80mm x 22mm x 3.5mm
- > **Operating Temperature:** 0°C to 70°C
- > **Storage Temperature:** -40°C to 85°C
- > **Weight:**
 - 240GB — 6.4g
 - 480GB — 7g
 - 960GB — 7.6g
- > **Vibration Operating:** 2.17G Peak (7–800Hz)
- > **Vibration Non-operating:** 20G Peak (10–2000Hz)
- > **Life Expectancy:** 1 million hours MTBF
- > **Warranty/support³:** Limited 5-year warranty with free technical support
- > **Total Bytes Written (TBW)⁴:**
 - 240GB — 150TB
 - 480GB — 300TB
 - 960GB — 600TB



PART NUMBERS

SA1000M8/240G
SA1000M8/480G
SA1000M8/960G

PACKAGE CONTENTS

M.2 SSD
Hard Drive Cloning Software – Download Coupon⁵

This SSD is designed for use in desktop and notebook computer workloads and is not intended for server environments.

- ¹ Based on "out-of-box performance" using a SATA Rev 3.0 / PCIe 3.0 motherboard. Speed may vary due to host hardware, software, and usage. IOMETER Random 4K Read/Write is based on 8GB partition.
- ² Some of the listed capacity on a Flash storage device is used for formatting and other functions and thus is not available for data storage. As such, the actual available capacity for data storage is less than what is listed on the products. For more information, go to Kingston's Flash Guide at kingston.com/flashguide.
- ³ Limited warranty based on 5 years or "SSD Life Remaining" which can be found using the Kingston SSD Manager (Kingston.com/SSDManager). A new, unused product will show a wear indicator value of one hundred (100), whereas a product that has reached its endurance limit of program erase cycles will show a wear indicator value of one (1). See Kingston.com/wa for details.
- ⁴ Total Bytes Written (TBW) is derived from the JEDEC Client Workload (JESD219A).
- ⁵ Operating system software support: Windows® 10, 8.1, 8.



THIS DOCUMENT SUBJECT TO CHANGE WITHOUT NOTICE.
©2018 Kingston Technology Corporation, 17600 Newhope Street, Fountain Valley, CA 92708 USA. All rights reserved.
All trademarks and registered trademarks are the property of their respective owners. MKD-391 US

Kingston
TECHNOLOGY